

Setup 1:		Stock AP1	5th-6th gear	AP1	Wheel size	16	Tire diam	24.86
Engine		F20C	Secondary	1.16	Tire width	225	Diam red'n	3.1%
Max RPM		8900	Final drive	4.1	Tire profile	50	Eff. diam	24.10
Gear	Gear Ratio	Overall Axle Ratio	mph per 1000 rpm	Speed at Max RPM	Speed at 3500 rpm	Speed at 6000 rpm	RPM at 55 mph	RPM at 75 mph
1	3.133	14.901	4.8	43	17	29	11433	15590
2	2.045	9.726	7.4	66	26	44	7462	10176
3	1.481	7.044	10.2	91	36	61	5404	7370
4	1.161	5.522	13.0	116	45	78	4237	5777
5	0.971	4.618	15.5	138	54	93	3543	4832
6	0.811	3.857	18.6	165	65	112	2959	4036
R	2.800	13.317	5.4	48	19	32	10218	13933

Setup 2:		Stock AP2	5th-6th gear	AP2	Wheel size	17	Tire diam	24.72
Engine		F22C	Secondary	1.2083333	Tire width	245	Diam red'n	2.8%
Max RPM		8200	Final drive	4.1	Tire profile	40	Eff. diam	24.02
Gear	Gear Ratio	Overall Axle Ratio	mph per 1000 rpm	Speed at Max RPM	Speed at 3500 rpm	Speed at 6000 rpm	RPM at 55 mph	RPM at 75 mph
1	3.133	15.521	4.6	38	16	28	11948	16292
2	2.045	10.131	7.1	58	25	42	7799	10635
3	1.481	7.337	9.7	80	34	58	5648	7702
4	1.161	5.752	12.4	102	43	75	4428	6038
5	0.943	4.672	15.3	125	54	92	3596	4904
6	0.763	3.780	18.9	155	66	113	2910	3968
R	2.800	13.872	5.2	42	18	31	10678	14561